



Carleton









Results of a community survey on environmental forecasting uses and need

**ゴレイ⊂「あ」 2023**DECEMBER 2023

Full Inuktitut/English bilingual report will be available in February 2024 at:

https://straightupnorth.ca/community-wwicuses-and-needs/

### REPORT PREPARED BY:

NATALIE CARTER, CHARLOTTE BUTTLE,
GITA LJUBICIC, REGENA SINCLAIR,
EMMELIE PAQUETTE

### LOCAL RESEARCH COORDINATORS:

JASON CARPENTER, AUPAA IRKOK, ANDREW MUCKPAH, PETER ALIKTILUK,
JULIA MICKIYUK, BOBBIE SAVIAKJUK, ANDREW ARREAK, BRENT NAKASHOOK,
MARLENE IQAQRIALU, NATASHA SIMONEE, IVAN KOONOO, BRENT PUQIQNAK,
CANDICE SUDLOVENICK, WILLIAM AGLUKKAQ, SHAWN MARRIOTT,
GIBSON PORTER, AMBER ELEEHETOOK, CHRISTINA KAAYAK, ELENA AKAMMAK

ART WORK BY: RHODA HIQINIQ

360 ಶೀರ್ ೨೬೬೬ ೧೯೦೦ ೧೯೦೦ ೧೯೦೦ Nunavummiut Participated

> 47: 广C ュヘパ Photo: Gita Ljubicic



# ᠳᡶᢅᠦ᠘ᢆᡛ᠖

**α\_οΔΡΕΡΡ΄ 360 ΦΦΡ-ΓΡΟΔ΄** ΔΕΡΕΡΦΌ ΦΛ<sup>®</sup>ΖΔσ<sup>\*</sup>Γ΄ ΡΡΕ<sup><</sup>ΔΠ<sup>®</sup> 4d<sup>®</sup>σ<sup>®</sup>Γ<sup>®</sup>σ<sup>©</sup> ΦΕΙΛ<sup>®</sup> 2019 ΔΕΙΔ ΒΕΙΛ<sup>®</sup> 2022.

### **4694**c

j<sub>2</sub>, ⊲⊂¿q<sub>1</sub>

ې<sup>م</sup> ۵۵-۱۹

ᡶᡃ᠕᠂᠙ᠣᠲ᠘

 $\mathsf{CPL}\ \Delta\mathsf{Y}^\mathsf{b}\mathsf{\Pi}\mathsf{\P}^\mathsf{qb}$ 

c⊳o d'c

 $C_{\ell} \nabla_{\zeta} \nabla_{\ell} \nabla_{\ell$ 

ے√ ۵،۵۲۰

LΔ<sup>β</sup> d<sup>ς</sup>C

1700 PLC

<sup>5</sup>Δ۲° ἀL<sup>ና</sup>º

ې₀ ⊲⊂،٩٥

ن<sup>و</sup> ۵ر۲۵

᠊ᡶᠰᡳ᠂᠙ᠣᢛ᠘

⊂⊳∿ ∆५७∩⊲५७

c⊳o d'c

 $C_{\ell} \nabla_{C} \nabla_{\ell} \nabla_{\ell} \nabla_{\ell}$ 

ے\ **۵**٩b۲ه

### **4.84.** (P454.p)

### ᢀ᠙᠙᠘ᡎ

Aaron Pedersen
Angulalik Pedersen
Brent Nakashook
Cathryn Epp
George Naikak Hakongak
Roland Emingak

### **ხ**∿Ր⁵⊳ϽႱ∧ь

7274 44°

### **५**८८५७

 ト<sup>®</sup>イ<sup>®</sup>う<sup>®</sup> Brent Puqiqnak

Caitlyn Porter Charlene Porter

Devon Pauloosie Enuk Pauloosie

Gail Putuguk

George Porter

John Aglukkag

Kayla Carter

Keith Nimiqtaqtuq

Kenny Arqviq

Oliver Porter Otto Ikkutisluk

Rita Porter

Roy Pootogok

Shanna Porter



# ᠳᡶᢅᠤᢩ᠘ᡛ

We wish to acknowledge the **360 Nunavummiut** who participated in this survey between December 2019 and November 2022.

Thanks to everyone for their time and sharing their experiences.

#### **Arviat**

Albina Kabvitok Andrea Aliquot Andrew Panigoniak SR April Roxanne Anowtalik Augaaj Karetak Cecile Kinniksie

Christina Ahmak

Clayton Hallauk Eden Owlijoot

Gary Ippiak

Gideon Kaslak

Gloria Issumatarjuak

Jason Ahmak

John Alikut John Alikut

Joseph Kinniksie

Larry Issakiark

Leona Curley

Leonard Irksuk

Lucy Akammak

Mary Ann Halluak

Mike Curley

Nooks Lindell

Rene Aggark SR

Robert Johnson

Scottie Shamee

Seepa Katsuak

Sheila Kirkwa

### Arviat (continued)

Thomas Aggark
Tommy Arviyut
Wendy Shamee
Tamar Mukyungnik
Willie Mukyungnik
Winnie Panigoniak

### Cambridge Bay

Aaron Pedersen Angulalik Pedersen Brent Nakashook Cathryn Epp George Naikak Hakongak Roland Emingak

### **Clyde River**

**Gregory Joanas** 

### **Coral Harbour**

Bobby Eetuk Elijah Kataluk Gordon Nakoolak Hattie Ottokie Inuapik Ell Lorna Ell Lucassie Nakoolak Saimonie Saviakjuk

### Gjoa Haven

Brent Puqiqnak Caitlyn Porter Charlene Porter Devon Pauloosie Enuk Pauloosie Gail Putuauk George Porter John Aglukkaq Kayla Carter Keith Nimigtagtug Kenny Arqviq Oliver Porter Otto Ikkutisluk Rita Porter Roy Pootogok Shanna Porter

# Thank! you!

# ᠳ᠘ᠳᠳ᠘ᡶ

### P4742P

 $\Delta^{G}$ LH⊳ ذو∿  $CD_cHQD_c$  $\dot{\Box}$ ሳሬ የር $^{\prime}$ <ጋ $^{\prime}$  $\Gamma \subset Q^{L} \triangleright \Delta \subset Q^{L}$ ታΔ5° **⊲**ር%bጋ%ጋ% ᢣ᠘ᢣ<sup>ᠷ</sup>᠘ᢣ᠘᠕ᢧᠲ 7078 JC 44 ᡶ╸᠋ᢇ᠘ ےن جر <del>ረ</del>ነ∨ Γ<sub>°</sub>Ųc ┧╳╸┤┖╸ **ċ**\$∆ وګړده ځ⊳∆۲۲۰ *خ- << ح-ب*4 

>Q<PQ &CHDU >QQ \Cr U\r \Q \Q

 $\Delta^{L}$  113 ውዕቃ የኮር $\Delta^{C}$  የዕው ታንቦ ውር ዓንት አላይ የርጋር.



ΛϲሒቴበՐታ′በ∿σ<sup>c</sup> ቴ⊳ትኣΔσ'⅃<sup>c</sup> ቴ∩Lσ<sup>®</sup> Λ⊳ሒ<sup>\</sup>, ጳ⁴በ⊳ሒ⊀<sup>c</sup> (ቴℂኒሲ<sup>\*</sup>ል⁰ 2022, ላ³ት: ἀℂϲ ቴ'ጋ'



# ᠳᡶᠳᠳᡶ

### P4742P

 $\dot{\mathbb{C}}^{\mathsf{L}} \mathbf{a} \mathbf{b} \mathbf{b}^{\mathsf{L}} \mathbf{$ 





Crown-Indigenous Relations and Northern Affairs Canada







Environment and Climate Change Canada















 $\mathsf{L}_\mathsf{C}$ 

### CONTINUED

This project was funded by <u>ArcticNet</u>, the <u>Climate Change Preparedness in the North Program</u> (CIRNAC), the <u>Canada Research Chairs</u> program, and <u>Environment and Climate Change</u> <u>Canada (ECCC) Science and Technology Branch</u>. This project was also endorsed as part of the Year of Polar Prediction.



CANADA RESEARCH CHAIRS CHAIRES DE RECHERCHE DU CANADA



Crown-Indigenous Relations and Northern Affairs Canada



Environment and Climate Change Canada



We received tremendous support from our research partners at <u>SmartICE</u>, <u>Arctic Eider Society</u>, <u>Ittaq Heritage and Research Centre</u>, <u>Environment and Climate Change Canada</u>, <u>Carleton University</u>, <u>Memorial University of Newfoundland</u>, and <u>University of Ottawa</u>. We would especially like to thank <u>Aqqiumavvik Society</u> staff in Arviat for their support in coordinating survey activities across Nunavut.

















### $\Delta$ ے $^{\circ}$ $^{\circ}$ $\dot{\sigma}^{\circ}$ $^{\circ}$



$\wedge$ CU $^{\flat}$ CU	p.1
$\Lambda$ ርჀ $\rho$ ሀርት $\rho$ ላ $\rho$ $\rho$ ወ $\phi$ ር	p.2
\Cutoff	p.4
◁∧ჼ゚┦ႠჅჅჼႨჅჅჼႷႷჿჾ <b>ჼႨჇ</b> ჼჅႱჼ	p.5
$4$ ለ $^{\circ}$ ለ $^{\circ}$ bL $^{\circ}$ be a composite of the second section of the second	p.6
$D^{2}U^{2}U^{2}$	<b>p.7</b>
JY₀UcUչ⊀Ųc ÞቐC₀Þc	p.8
つらくなっした。 でんしけ。 マー・アー・アー・アー・アー・アー・アー・アー・アー・アー・アー・アー・アー・アー	p.9
つPて つして つして つして つこ ここ つこ ここ 	p.12
$\neg \sigma >_{\Gamma} L \land C \nabla_{C} \triangleleft V @  eq U \delta \$	p.13
△°C°GPJCD4c	p.16
₽√C⊳₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽	p.17
$\Delta^{\circ}\Gamma^{\circ}\Pi^{\circ}\sigma^{\circ}\Pi^{\circ}$	p.18
$\neg \sigma \Rightarrow_{\Gamma} \vdash \nabla \nabla_{C} \vdash \nabla_{C} $	p.23




### TABLE OF CONTENTS



About this Project	<b>p.1</b>
Partner Communities	p.2
Key Project Activities	p.4
Survey Timeline during the COVID-19 Pandemic	p.5
Survey Facilitation by Local Research Coordinators	p.6
Key Messages for Service Providers	p.7
Key Messages for Communities	p.8
Understanding the Numbers in this Report	p.9
Understanding the Maps in this Report	p.12
Nunavummiut Survey Participant Demographics	p.13
Travel Equipment	p.16
Internet Access	p.17
Travel Habits	p.18
Where Nunavummiut Respondents Travel	p.23



### ᠙ᢣᢣᢣᠤ) ᠕᠋᠆᠆ᡥᢉᢇᡠᠸᢅ᠌ᠵ



$^{<}$ $\Delta$ L $^{\circ}$ , $^{<}$ $^{\circ}$	p.29
$DLL_{A}C_{C} \vee_{A} V_{C} \vee_{C} C_{C} C_{C$	p.33
$POHCQ_{C}$ $PCC_{C}$ $PCC_{C}$	p.36
PPYLOS ALS OF SECOND	p.38
ᡏ᠘ᠳ᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘᠘	p.40
ϼͼϲϧϹϲͺϼͻϯϧϘϤϲ ϽͼϲϧϹϲͺϼͻͰϯϘϤϲ	p.45
$VAU_{c}$ $Ar\Gamma$ $V$ $Q$ $Ar$ $C$ $A$	p.49
	p.63
$^{\prime}$ ላይ ላይ ነው ላይ ነው	p.65
<del></del> 4₹₽₩₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽	p.67
$4)^{\oplus}C \triangleright \%^{C} C^{\oplus})^{C} - 2 \circ C^{\oplus}\dot{\Gamma}^{\oplus}U + U \circ $	p.70
$\wedge^{\diamond}$ $\wedge^{\diamond}$ $\wedge^{\circ}$ $\wedge^{\circ$	p.77



# TABLE OF CONTENTS (CONTINUED)



Weather, Water, Ice, and other Environmental Conditions Checked Before Travel	p.29
Information Sources Used When Planning a Trip	p.33
Contacting Community Information Sources	p.36
Contacting Others for Help	p.38
Sharing Observations of Weather, Water, Ice or Snow Conditions with Others	p.40
Community Monitoring Programs	p.45
Products and Accessing Environmental Forecasts	p.49
Reasons Environmental Forecasting Information is Difficult to Access	p.63
Interest in information about Past and Future Environmental Changes	p.65
Interest in Training	p.67
Resources - Community-based Monitoring	p.70
Resources - Environmental Forecast Products/Services	p.77

### $\nabla C^{\alpha} U^{\beta} U^$

$$\label{eq:continuity} \begin{split} & \text{Jil}_{A} \sim \text{Aplication} \\ & \text{Jil}_{A} \sim \text{Jil}_{A} \sim \text{Jil}_{A} \sim \text{Jil}_{A} \\ & \text{Jil}_{A} \sim \text{Jil}_{A} \sim \text{Jil}_{A} \sim \text{Jil}_{A} \\ & \text{Jil}_{A} \sim \text{Jil}_{A} \sim \text{Jil}_{A} \sim \text{Jil}_{A} \sim \text{Jil}_{A} \\ & \text{Jil}_{A} \sim \text{Jil}_{A} \sim \text{Jil}_{A} \sim \text{Jil}_{A} \sim \text{Jil}_{A} \sim \text{Jil}_{A} \\ & \text{Jil}_{A} \sim \text{Jil}_{A} \sim \text{Jil}_{A} \sim \text{Jil}_{A} \sim \text{Jil}_{A} \sim \text{Jil}_{A} \sim \text{Jil}_{A} \\ & \text{Jil}_{A} \sim \text{Jil}_{A} \sim \text{Jil}_{A} \sim \text{Jil}_{A} \sim \text{Jil}_{A} \sim \text{Jil}_{A} \sim \text{Jil}_{A} \\ & \text{Jil}_{A} \sim \text{$$

 $\begin{array}{l} \forall \mathsf{CP}^\mathsf{ch} \mathsf{d}^\mathsf{c} \wedge \mathsf{cn} \mathsf{b}^\mathsf{c} \mathsf{CP}^\mathsf{d}^\mathsf{c} \mathsf{L}^\mathsf{c} \mathsf{d}^\mathsf{c} \mathsf{d}^\mathsf{c} \mathsf{d}^\mathsf{c} \mathsf{d}^\mathsf{c} \mathsf{d}^\mathsf{c} \\ \underline{\mathsf{d}^\mathsf{c} \mathsf{PPL} \mathsf{d}^\mathsf{c}}, \, \mathsf{DD}^\mathsf{c} \mathsf{d}^\mathsf{c} \mathsf{d}$ 



### **ABOUT THIS PROJECT**

Our research team includes Inuit, northern, and southern researchers who have worked together for many years in Nunavut communities. Over the years we have heard from Nunavummiut (people of Nunavut) that services providing information on weather, water, and ice conditions are not easy to use, access, or understand. We have also heard that the information is not always accurate for local conditions. This, along with increasingly unpredictable weather, and changing sea ice conditions, has made it harder and riskier for Nunavummiut to hunt and travel safely. We developed this project to learn how Nunavummiut are using environmental information to make decisions about safe travel on the land (including water and ice).

Our goal is to help improve the information that is available, and how it is communicated in northern communities. To accomplish this goal, we created a survey to get feedback from communities across Nunavut. Survey questions were developed together with input from all team members, as well as from environmental service providers, Inuit organizations, and northern governments and research organizations.

We work together according to the <u>Aajiiqatigingniq research framework</u>,

outlined by the Aqqiumavvik Society working with Elders from across Nunavut. This framework guides how we make decisions, and build consensus on our research approach and results. Surveys were facilitated by Local Research Coordinators working in their home communities. We also worked together in two collaborative analysis workshops to interpret survey results and decide on key messages for service providers and for Nunavut communities.

Ultimately, we hope that the results of this project will help service providers and decision-makers make their information more relevant and accurate for Nunavummiut, in support of safe travel.




Collaborative analysis workshop in Arviat, Nunavut (October 2021, photo: Gita Ljubicic)


# ∧┌ሒዔ∩ቦ♭▷ゼ ዾዺ፦ PARTNER COMMUNITIES


 $\Lambda$ ርሲላ%><sup>C</sup> 8-σ<sup>b</sup> ቃቂሮ  $\Delta$ ር▷ላዔር▷%ጋ% ቃቂ $^{\text{LC}}$ : ላ'ልላ<sup>C</sup>,  $\Delta$ ዔ ታ ጋ<sup>C</sup> $\cap$  ላጭ, ቴ ነር% ጋ $\dot{\circ}$  ለት ታ  $\Delta$ <sup>C</sup>,  $\Delta$ ዔ ታ  $\Delta$ <sup>C</sup>,  $\Delta$ <sup></sup>

Our project involved 8 communities in Nunavut: Arviat, Cambridge Bay, Clyde River, Coral Harbour, Gjoa Haven, Iqaluit, Pond Inlet, and Sanikiluaq.















Photos: Natalie Carter and Gita Ljubicic

ላተ?  $^{\circ}$   $^{$ 

# ^ (2018 - 2022)

₽ <sub>~</sub> ₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽	₽οΔ⊂▷°σ˙
ქ <sup>∟</sup> ქ⊂ <sup>ი</sup> გ <b>2018</b>	<ul> <li>^chhipardc ^charce all arcticlet-dc bull and continued are all arcticlets.</li> <li>Arcticlet-dc bull and continued arcticlets.</li> </ul>
Ⴀჼჼჼჼ <sup></sup> ~ፈ <sup>°</sup> ל⊲ <sup>%</sup> - 6CĹሲ <sup>°</sup> & <sup>6</sup> <b>2019</b>	<ul> <li>\cap\\\^\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</li></ul>
ኦዮኦċ⁻ - Ხℂἰሲኖል⁵ <b>2019</b>	<ul> <li></li></ul>
ქ <sup>∟</sup> ქ⊂ <sup>ℯ</sup> გ <sup>ℴ</sup> <b>2019</b> -	• ᢧᡅᠸᡥᠮ <sup>ᠸ</sup> ᠊ᠲ᠌᠌᠌ᠣᢣᡃ᠘ᠳ᠋ᠲ᠋᠘ᠳ᠒ᠳ᠘ᠳ᠘᠘᠙ᠳᠫ ᡆ᠕ᡥᢣ᠘ᠣᡲᠣᡕ᠘ᡎᢉᡲᡲᡎᠲᠣᡕ᠘ᡆᠸᡥᠲᠣᡕ
⊾ <sup>c</sup> ∩⊲ <sup>c</sup> 2020	<ul> <li></li></ul>
L°ở <sup>⊂</sup> <b>2021</b>	<ul> <li>∇</li> <li>Φ</li> <li>Φ</li></ul>
October 2021	•
November 2022	• ᢧᡆᠸᡥᠮ <sup>ᠸ</sup> ᠊ᠲ᠌᠌ᠪᢣᡪ᠌᠘ᠳ᠋ᠲ᠘ᠳ᠘ᡶᡎᡠ᠘᠙᠘ᠳ᠘ ᢀ᠘ᡥᢣ᠘ᠣᡲᠣᡕ᠘ᡀᡳᡶᢛᠣᡕ᠐ᡆᠸᡙᡕᠣᡕ
ქ <sup>∟</sup> ქ⊂ <sup>&lt;</sup> გ⁵ <b>2022</b>	<ul> <li>ΛϲλθηΓϧʹηϧσ<sup>c</sup> ՖΡλλΔσʹͿ<sup>c</sup> ԵΠΕσ<sup>®</sup> ΛΡλ<sup>'</sup>,         <sup>ἀ</sup>·ΠΡλτ<sup>c</sup></li> <li>CͿϧϧΫρη<sup>c</sup> ΛΡλΓα<sup>®</sup>CΡλΓτ<sup>c</sup> ՖρΔ<sup>®</sup>ΓσΡτσ<sup>c</sup>         ArcticNet-J<sup>c</sup> ΘΠΕΠ<sup>c</sup>Πσ<sup>®</sup>Γ<sup>e</sup>σ<sup>c</sup> Ͻϛ<sup>e</sup>Ͻ, Ϥ<sup>e</sup>ΠΡλτ<sup>c</sup></li> </ul>


# KEY PROJECT ACTIVITIES (2018 - 2022)

Timeline	Activities
December 2018	<ul> <li>collaborative project planning meeting at ArcticNet conference in Ottawa, Ontario</li> </ul>
January – November 2019	<ul> <li>collaborative survey development (involving our project proposal team, Local Research Coordinators, and a number of external reviewers)</li> <li>this led to survey questions, wording, and options that were much more clear, relevant, and accessible for Nunavummiut</li> <li>it also means results can be more meaningful and impactful to researchers, northerners, and policymakers</li> </ul>
October – November 2019	<ul> <li>training sessions with Local Research Coordinators near Montreal, Quebec and in Iqaluit, Nunavut</li> </ul>
December 2019 - March 2020	<ul> <li>Local Research Coordinators facilitated surveys in their home communities</li> </ul>
March 2020	<ul> <li>surveys put on hold due to the COVID-19 pandemic (see page 5 for more details)</li> <li>we started working together on a plan for how to safely continue the project</li> </ul>
June 2021	<ul> <li>Local Research Coordinators restarted survey facilitation</li> <li>this could only happen after public health and research license/ethics restrictions allowed it, and with local community organizations' support</li> <li>Local Research Coordinators also followed up with some earlier participants to clarify answers</li> </ul>
October 2021	• collaborative analysis workshop in Arviat Nunavut
November 2022	Local Research Coordinators stopped facilitating surveys in their home communities
December 2022	<ul> <li>collaborative analysis workshop in Paris, Ontario,</li> <li>presentations of refined results at ArcticNet conference in Toronto, Ontario</li> </ul>

### 



# SURVEY TIMELINE DURING THE COVID-19 PANDEMIC



# $\Delta V_{e} \Delta V_$

 $\Delta C^*\Gamma^C$   $\Delta C^*L \Delta C^*L^C$   $\Delta C^*C^*C^*C^*D^C$   $\Delta C^*\Gamma^C$   $\Delta C^$ 

 $\Delta C^*C^*C^*$   $\Delta C^*C^*C^*$   $\Delta C^*C^*C^*C^*$   $\Delta C^*C^*C^*$   $\Delta C^*C^*$   $\Delta C^*$   $\Delta C^*$ 

ċC CʻSC°, ◁ჼჼŶ▷L¯«ል° Ь⊃ァ⊁ዔ∩Ր°┙, <u>inukpaujaqegmail.com</u> ċCc 占ʻSʻ (NATALIE CARTER),L°L˙S ፖℴCO°SԿ°ል゚√√√°, <u>carten7emcmaster.ca</u> ՐC ┌┤∧°८७ (GITA LJUBICIC), L°L˙S ፖℴCO°SԿ°ል゚√√√°, <u>gita.ljubicicemcmaster.ca</u>



# SURVEY FACILITATION BY LOCAL RESEARCH COORDINATORS

In total, **19 Local Research Coordinators** were involved in the project, and they completed **360 surveys** across **8 communities** in Nunavut.

Local Research Coordinators invited community members to participate based on certain criteria. Specifically, we wanted to learn about uses and needs of weather, water, ice, and climate information and services from community members who were actively travelling on the land (including water and ice) in the last three years (since 2017). This included men and women of all ages and experience levels, and they could be experienced hunters, seasonal travellers, or people who just like to get out on the land.

Local Research Coordinators facilitated the surveys in English or Inuktut based on participant preference. They used Qualtrics survey software to enter responses on iPads. They facilitated the survey in a community office or in participants' homes, based on individual comfort level. Some participants did the survey on their own using an online survey link, when COVID-19 pandemic public health restrictions prevented in-person surveys. Participants were compensated for their time. We obtained research ethics and license approvals before we started the survey.

For this report, we present the results based on survey answers from a total of 360 Nunavummiut = 100%.



For more information about this report and the larger study please contact:

Shirley Tagalik, Aggiumavvik Society, 204-218-0866, inukpaujagegmail.com

Natalie Carter, McMaster University, carten7emcmaster.ca

Gita Ljubicic, McMaster University, gita.ljubicic@mcmaster.ca

To access community reports, please visit:

https://straightupnorth.ca/community-wwic-uses-and-needs/

# 

 $2021-\Gamma^c 4^{}L_{}^{} 2022-\Gamma^c \wedge \Gamma^c + \Omega^c \Gamma^$ 

᠆᠐ᢆᠳ᠙᠘ᡎ᠘ᡴ᠘ᠳ᠘ᠳ᠘᠘᠘᠘ᠳ᠘



600

 $^{\circ}$  የሥር $^{\circ}$   $^{\circ}$  $^{\circ}$   $^{\circ}$   $^{\circ}$   $^{\circ}$   $^{\circ}$   $^{\circ}$   $^{\circ}$   $^{\circ}$   $^{\circ}$   $^{\circ}$   $^{\circ}$   $^{\circ}$   $^{\circ}$   $^{\circ}$   $^{\circ}$   $^{\circ}$ 





 $\mathsf{L}_{\mathsf{G}} \mathsf{L}_{\mathsf{G}} \mathsf{L}$ 

᠈ᡏᢗᠲᠫᢖᠲ*ᡧ*ᢀᢌ∇ᠲ᠋ ᠘ᠸᢑᠲᢑᡉᢆᠣᠳᠲᡳ᠘ᢩᡆᢆᡑᡑᢌ



DY 4U CU Y Y U C  $2\sigma \sqrt{\Delta 50}$ 




₽º1969-9UT AUC Pope and ACP  $\dot{\mathsf{L}}^{\mathsf{e}} \mathsf{e} \mathsf{D} \mathsf{d} \mathsf{L}^{\mathsf{c}} \mathsf{d} \mathsf{L}^{\mathsf{e}} \mathsf{d} \mathsf{L}^{\mathsf{e}} \mathsf{d} \mathsf{L}^{\mathsf{e}} \mathsf{d} \mathsf{e}^{\mathsf{c}}$ 





₽ºCD+º95,ºEDUL, (VCV dv PLC db, Lc  $(InReach/SPOT)- b^{c} \triangleleft PC^{+}D\Delta^{+}C^{+}Db^{c})$ 



 $\mathsf{L}_{\rho, \nabla} \mathsf{C}_{\rho, \nabla} \mathsf{C$  $\bigvee_{\alpha \in A^{c}} A^{c} \wedge A^{c}$ 

ᡪᢛᠹᢇᡉ᠘ᠵ᠘᠐᠙᠘᠙᠘᠙᠘᠙᠘᠙᠘᠙᠘᠙᠘᠙



 $^{\circ}\Delta^{\downarrow}$   $^{\circ}\Delta^{\downarrow}$   $^{\circ}\Delta^{\downarrow}$   $^{\circ}\Delta^{\downarrow}$   $^{\circ}\Delta^{\downarrow}$   $^{\circ}\Delta^{\downarrow}$ 



 $700 \, \text{Ce} \, \text{Col} \, \text{Col} \, \text{Ce} \, \text{Ce$  $C\Delta d^{*}LP \cap \sigma^{*} \Delta C^{*}\sigma d^{*} \cap C \cap \sigma^{C}$ 

# KEY MESSAGES FOR SERVICE PROVIDERS

workshops, Local Research Coordinators developed At the 2021 and 2022 collaborative analysis twelve key messages tor service providers:

that is specific to communities Provide more tide information





online environmental products Reduce number of pages and sites to go to when accessing





ease of interpretation Create colour-coded visuals for

Need more weather stations in key hunting areas



SERVICE XEY



information (update more often) Need more real time weather

**MESSAGES FOR PROVIDERS** 



Faster and more affordable internet InReach/SPOT subscriptions) (address cost and subsidize northern



Expand support for community

programs and leadership

term forecast and more detailed wind information), leads to trust in products Continue to work on accuracy (short

Create forecast products that are easy to interpret and use (colour coded visuals)





services and programs Increase awareness of local

Increase the number of VHF repeaters and cell towers (address calling for help)





Make ice charts and satellite for tutorials) images simpler to use (add links

### $DP_{e}U_{c}U_{b}AU_{c}$ $\nabla P_{e}U_{c}U_{b}AU_{c}$



### **KEY MESSAGES FOR COMMUNITIES**

At the 2022 collaborative analysis workshop, Local Research Coordinators developed seven key messages for community organizations:



# UNDERSTANDING THE NUMBERS IN THIS REPORT

### **PERCENT**


### 100% = all 360 participants

Most of the survey results in this report are shown as % (percent) where 100% means all 360 participants in Nunavut who completed the survey.

Sometimes participants could choose more than one answer, so totals in some figures don't add to 100%.


In this example from page 18, participants could choose more than one method of transportation.

### METHODS OF TRANSPORTATION SURVEY PARTICIPANTS USE TO TRAVEL ON THE LAND



### COUNTS

Count = the number of participants giving that answer



Some of the charts show the results in **percent** and the **count** (actual number) of participants who gave that answer. In this example **from page 16**, cell phones are owned or regularly used by 75% of participants (270 participants).

# UNDERSTANDING THE NUMBERS IN THIS REPORT

(CONTINUED)

### **PARTICIPANTS**

Participants = everyone (all 360 people) who did this survey in Nunavut

### **RESPONDENTS**

### Respondents = only the participants who answered follow-up questions

There are some questions in the survey that not everyone answered. Participants who answered "no" to a question would skip to the next section. But participants who answered "yes" to the same question would be asked some *related follow-up questions*. When we show the results to follow-up questions, we call this group of participants "**respondents**", because they were the ones who answered the question.

### **CONTACTING OTHERS FOR HELP**

In this example from page 38, 85% of the participants said "yes I can call for help if I get stranded on the land".



If Nunavummiut *participants* get stranded or have an accident on the land, 83% (out of a total of 360) can call for help.

Of the 297 *respondents* who can call for help, most would call a **family member** (89%), or **friend** (59%), and some would call **local search and rescue** (SAR) (46%) for help.


Only the participants who said "Yes, I can call for help", were asked the follow-up question, "Who, can you call for help?" This smaller group of participants who answered the follow-up question are called **respondents**. So the percent shown for respondents are out of the total who answered the question, and not the total of participants.

# UNDERSTANDING THE NUMBERS IN THIS REPORT (CONTINUED)

### **RESPONDENTS**

Respondents = only the participants who use forecasting products

# REASONS WHY ENVIRONMENTAL FORECASTING INFORMATION IS DIFFICULT FOR NUNAVUMMIUT RESPONDENTS TO ACCESS




Some participants did not use every type of environmental forecasting information (i.e. weather forecasts, marine forecasts, ice services, tide tables, satellite mages).

In this example from **p. 63**, of the respondents who said "Yes, I experience challenges when accessing satellite images",

2 of them experience challenges because the information is hard to interpret. Of the respondents who said "Yes, I experience challenges when accessing ice services", 12 of them experience challenges because the information is not updated often enough.

# UNDERSTANDING THE MAPS IN THIS REPORT



Number of respondents who travelled in the selected area

### MAP COLOURS AND LEGENDS


Each coloured box on the maps represents a certain number of respondents who travelled to that area, and all of the types of transportation they used to travel there (e.g. if a respondent went to an area by ATV and by snowmobile, it is counted as having travelled to the area twice).

Darker/brighter colours = more respondents went there. Lighter colours = less respondents went there.

### Respondents = only the participants who completed maps

Some participants did not complete travel maps (due to technical issues and other reasons). When we show the maps, we call this group of participants "respondents", because they were the ones who completed maps.


# NUNAVUMMIUT SURVEY PARTICIPANT DEMOGRAPHICS




The highest number of questionnaires were completed in Arviat (115), followed by Iqaluit (66), Pond Inlet (46), and Gjoa Haven (41). In both Cambridge Bay and Sanikiluaq, 27 questionnaires were completed. Twenty four questionnaires were completed in Coral Harbour, and 14 were completed in Clyde River.

# NUNAVUMMIUT SURVEY PARTICIPANT DEMOGRAPHICS


(CONTINUED)



Survey participants ranged in age from 16 to 79 years, with the highest proportion (23%) being between 40–49 years old. No one under 16 or over 80 years, participated in the survey.



Most participants identify as male (69%), and some identify as female (31%).



Nearly all participants identify as an Indigenous person (88%), and 94% of Indigenous respondents identified as Inuit.


# NUNAVUMMIUT SURVEY PARTICIPANT DEMOGRAPHICS

(CONTINUED)



Participants were asked about which languages they speak.


Most participants speak
English (91%) and Inuktitut
(63%). Very few, speak
Inuinnaqtun (2%), or French
(5%). 1% of participants
speak other languages:
Serbian, Russian, or
Spanish.



Most participants (74%) have lived in Nunavut for 20 or more years.

It is important to understand how long participants have lived in Nunavut as this relates to (although does not necessarily determine) how much experience they have with travel on the land, water, or ice.

### TRAVEL EQUIPMENT






Cell phones and snowmobiles are the types of equipment most often owned or regularly used by participants, followed by ATVs. Participants who answered "Other" use a fish finder (Humminbird), maps, mini-side-by-side, scooter, depth sounder/plotter, radar, sonar, Zoleo, and their legs. Boat sizes ranged from 14 to 45 feet. Most common were 16 foot boats (10 respondents), followed by 20 foot, 22 foot, and 24 foot boats (6 respondents each). Fewer participants own boats, compared to Snowmobiles, and ATVs, because boats are more expensive to buy, maintain, and operate.

### INTERNET ACCESS






Most (85%) participants have access to the internet in their home. The percent of participants with access to internet in their home, varied by community. For instance, in Iqaluit, 100% of participants had access to internet in their home, and in Clyde River 64% had access. This is important to know because it affects what kinds of environmental forecast information participants might be able to access.

### TRAVEL HABITS

### METHODS OF TRANSPORTATION SURVEY PARTICIPANTS USE TO TRAVEL ON THE LAND



Survey participants travel on the land (meaning land, water, sea ice, and snow) in every month of the year. Snowmobile is the most common method of transportation used, followed by All-Terrain Vechicles (ATVs) and boats. Participants also travel by vehicle, on foot, and by dog team.


The value shown here for "On Foot" may overestimate the number of participants who travel on foot (i.e. leave their community on foot, not short walks or hikes), because they misunderstood what was meant.

### TRAVEL HABITS

(CONTINUED)

# METHODS OF TRANSPORTATION SURVEY PARTICIPANTS USE TO TRAVEL ON THE LAND


(CONTINUED)



Snowmobiles are the transportation type the greatest percent of participants used in every community except Arviat and Sanikiluaq, where ATVs were used by the greatest number. ATV use differed notably between communities. For example in Iqaluit, less than half (45%) use ATVs compared to Cambridge Bay and Gjoa Haven (both 93%). Boat use also varied between communities. In Arviat, 25% of participants use boats, compared to Cambridge Bay (96%), Pond Inlet (94%, and Iqaluit (86%).

### TRAVEL HABITS

(CONTINUED)



In different times of year, survey participants spend different lengths of time on the land. Most commonly, participants are on the land for hours or days at a time. In May through August many participants are on the land for weeks at a time. Some travel for longer periods of time.




Photo: Natalie Carter

#### TRAVEL HABITS

(CONTINUED)

### REASONS NUNAVUMMIUT PARTICIPANTS USUALLY TRAVEL ON THE LAND



Survey participants travel on the land, water, and ice for many reasons. Most often they travel to get out of town/go to a cabin or camp, hunt on land, fish in lakes, hunt in the ocean or on sea ice, to gather food, fish in the ocean, or to collect drinking water. See page 22 for details about "Other" reasons Nunavummiut participants travel on the land.

#### TRAVEL HABITS

(CONTINUED)

### REASONS NUNAVUMMIUT PARTICIPANTS USUALLY TRAVEL ON THE LAND

(CONTINUED)

Survey participants travel on the land, water, and ice for many reasons. Those who answered "Other" (see Page X. ) said they boat, camp with family, butcher seals, clam dig, dog sled, ski, fat bike, exercise, reunite with family, cache fuel, survey wildlife, drop off cabin/camping supplies, hike, kite, and map sea ice with a drone. Participants all travel on the land for mental health, photography, to practice Inuit Qaujimajatuqangit, mobile journalism, Parks Canada, sport fishing, to support snowmobile races, take people who never get to go out, teach friends, white water kayak, church trips, and for peace and quiet.



Photo: Natalie Carter

### WHERE NUNAVUMMIUT RESPONDENTS TRAVEL

When looking at the maps in this report (pages 25 to 28), it is important to note that:

- 1. Participants do not only travel to the areas indicated on the maps.
  Some individuals go further than shown. However, the maps we used limited the areas people could select;
- 2. Not all community members participated in the survey so for this reason, the **travel extent may be even greater than shown in our maps**;
- 3. Community members need to access weather, water, and ice information across the vast distances they travel. Environmental conditions may be very different at their destination compared to in their community where the main weather station may be located; and
- 4. The areas where participants travel overlap, or are connected, with other communities; they are all connected. Therefore, weather stations placed between communities could benefit multiple communities seeking to access weather information.




Photo: James Nanau Tagalik


### WHERE NUNAVUMMIUT RESPONDENTS TRAVEL

(CONTINUED)

### NUMBER OF MAPS COMPLETED IN EACH COMMUNITY\*



The number of participants who completed maps varied by community.




Participants in Clyde River traveled the farthest from their community (694 kilometres). Participants in all of the other communities travelled very far as well (483km from their community). It is important to note that not all participants travel such long distances, rather these are the maximum distances travelled by some participants.

<sup>\*</sup>No maps were completed in Sanikiluaq.

### WHERE NUNAVUMMIUT RESPONDENTS TRAVEL

(CONTINUED)



Geographic Coordinate System: GCS WGS 1984; Projection: Lambert Azimuthal Equal Area; Maps created by Regena Sinclair, June 28, 2023; Service Layer Credits: HERE, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community




Number of respondents who travelled in the selected area

To access full-page maps visit:


https://straightupnorth.ca/community-wwic-uses-and-needs/

### WHERE NUNAVUMMIUT MEN AND WOMEN RESPONDENTS, TRAVEL

**TRAVEL BY MEN** 



#### TRAVEL BY WOMEN




Number of respondents who travelled in the selected area

### WHERE NUNAVUMMIUT RESPONDENTS TRAVEL (BY AGE)

#### **AGES 16 TO 24 TRAVEL**

# 45 respondents completed maps

#### **AGES 25 TO 34 TRAVEL**



#### **AGES 35 TO 49 TRAVEL**




#### **AGES 50 TO 69 TRAVEL**



#### **AGES 70 AND ABOVE TRAVEL**





Number of respondents who travelled in the selected area

# WHERE NUNAVUMMIUT RESPONDENTS TRAVEL (BY MODE OF TRAVEL)

**SNOWMOBILE TRAVEL** 


#### **ATV TRAVEL**





#### **BOAT TRAVEL**

**VEHICLE TRAVEL** 






#### **DOG TEAM TRAVEL**

**ON FOOT TRAVEL** 








Number of respondents who travelled in the selected area

# WEATHER CONDITIONS NUNAVUMMIUT PARTICIPANTS CHECK BEFORE THEY TRAVEL



% of participants



Good to know:

It is helpful to know about this condition, it informs travel decisions


Don't consider:
I don't consider
this condition to
make travel
decisions

Not applicable: This condition is not applicable in my community



Nunavummiut participants check many types of weather conditions before they travel on the land. Wind strength, whiteout, blowing snow, wind direction, low visibility, snowfall intensity, window of clear weather, and fog are the weather conditions most commonly considered "necessary" to check before travelling. It is important to note that many of these are associated with visibility. Participants who answered "Other" also check for blizzard warnings, cloudy conditions, wind speed on the water, and the size of snow flakes (small or large).


# WATER CONDITIONS NUNAVUMMIUT PARTICIPANTS CHECK BEFORE THEY TRAVEL



WATER

Nunavummiut participants check many types of water conditions before they travel on the land. Wave height, wave direction, tide timing, and tide height are the water conditions most commonly considered "necessary" to check before travelling. Those who said "Other" also check slush and overflow on rivers and lakes, as well as salinity levels.


# ICE CONDITIONS NUNAVUMMIUT PARTICIPANTS CHECK BEFORE THEY TRAVEL





Nunavummiut participants check many types of ice conditions before they travel on the land, water, sea ice, and snow. Sea ice thickness, location and size of leads and polynyas, the position of the floe edge, river and lake ice thickness, overflow, ice colour, and ice roughness are most commonly considered "necessary" to check before travelling. Those who said "Other" also check for situations where ice appears to be solid but is actually thin with blowing snow over it, the solidity of the ice (i.e. slushy, moisture), and low visibility.


# OTHER ENVIRONMENTAL CONDITIONS NUNAVUMMIUT PARTICIPANTS CHECK BEFORE THEY TRAVEL





Nunavummiut participants check many other environmental conditions before they travel on the land, water, sea ice, and snow. Trail conditions, and number of daylight hours are the conditions most often considered "necessary" to check before travelling. Those who answered "Other" also check for humidity, frost, winds on higher mountain peaks or mountain ranges, snow drift direction, the lunar cycle, earth's axis, the look and colour of the sun, the horizon colours, if they feel pressure in their bones, and if dogs and wildlife move in similar ways.


# INFORMATION SOURCES NUNAVUMMIUT PARTICIPANTS USE WHEN PLANNING A TRIP



When planning a trip, Nunavummiut participants access many sources of environmental information before they travel on the land. Weather forecast, personal observations, people who recently travelled in the area, and marine forecast are the sources that participants most often consider "necessary" to check before travelling.

Weather forecast is in the top two sources that participants most often consider "necessary" to check before travelling, in all communities except Clyde River (where it is 8th). People who recently traveled in the area are considered "necessary" to check more often than weather forecast, in Arviat, Cambridge Bay, Clyde River, and Coral Harbour. Marine forecast is in the top three considered "necessary", in Cambridge Bay and Pond Inlet, and tide tables is in the top three in Iqaluit. Local monitoring programs is in the top three in Arviat, Coral Harbour, and Sanikiluaq.


# INFORMATION SOURCES NUNAVUMMIUT PARTICIPANTS USE WHEN ON THE LAND



When on the land, Nunavummiut participants access many sources of environmental information. Personal observations is the source that participants most often consider "necessary" to check before travelling. Other sources of information also commonly considered "necessary" include: people met during travel, local monitoring programs, people who recently traveled in the areas, social media, weather forecasts, people who are on the land, marine forecasts, people in their home community, and tide tables.

It is notable that when planning a trip (see page 33) weather forecast and personal observations are the information sources participants most often consider necessary to check, but when on the land personal observations are the mostly commonly accessed source of information. This is because, while on the land, participants have limited or no access to online products, and must ask someone else (in town) to access it for them.

# INFORMATION SOURCES NUNAVUMMIUT PARTICIPANTS USE WHEN RETURNING HOME




When planning to return home, Nunavummiut participants access many sources of environmental information. Personal observations, weather forecasts, and people met during travel on the land are the sources that participants most often consider "necessary" to check before travelling. People who recently traveled in the area, marine forecast, satellite images, people in their home community, people who are on the land, local monitoring programs, and tide tables are also often considered "necessary" to check before travelling.

It is notable that, similar to when people are planning a trip (page 33), personal observations and weather forecasts are the information sources most often considered "necessary" to check. It is important to note that while on the land, participants have limited or no access to online products, and must ask someone else (in town) to access it for them.

### CONTACTING COMMUNITY INFORMATION SOURCES


#### Ways that respondents contact people on the land while they are in their home community



% of respondents (out of a total of 273 participants who contact people on the land)

Respondents who contact people on the land to ask about environmental conditions, while they themselves are in their community, mostly use shortwave radios (CB, HF(SBX), VHF), cell phones, and inReach or SPOT to contact them. Those who said "Other" meet people in person (go find them, or wait to talk to them), use Zoleo, or another person in town would contact them.

#### Ways that respondents contact people in their home community while on they are on the land




% of respondents (out of a total of 255 participants who contact people in their home community)

Respondents who contact people in their home community to ask about environmental conditions, while they themselves are on the land, also mostly use short-wave radios (CB, HF(SBX), VHF), cell phones, and inReach or SPOT. Respondents who answered "Other" also meet people in person, or use Zoleo.

### CONTACTING COMMUNITY INFORMATION SOURCES

(CONTINUED)

#### Ways that respondents contact people in other communities



% of respondents (out of a total of 43 participants who contact people in other communities)

Respondents who contact people in other communities to ask about environmental conditions mostly use cell phones and home phones to contact them. Respondents who answered "Other" said they contact people from other communities when they meet them on the land, and when they get to other communities.

#### The other communities contacted are:


- From Arviat: Baker Lake, Churchill, Rankin Inlet, and Whale Cove;
- From Cambridge Bay: Kugluktuk, and Gjoa Haven;
- From Clyde River: No communities listed;
- From Coral Harbour: Naujaat and Rankin Inlet;
- From Gjoa Haven: Taloyoak and Cambridge Bay;
- From Iqaluit: Kimmirut, Pangnirtung, Qikiqtarjuaq, and Kinngait;
- From Pond Inlet: Arctic Bay, Clyde River, Igloolik, and Sanirajak; and,
- From Sanikiluaq: No communities listed.

#### **CONTACTING OTHERS FOR HELP**



If Nunavummiut participants get stranded or have an accident on the land, 83% (out of a total of 360) can call for help.

### CONTACTING OTHERS FOR HELP BY COMMUNITY



In Cambridge Bay and Clyde River, 100% of participants said they can contact others for help if they get stranded or have an accident on the land. This is in contrast to the other communities where some participants said they cannot call for help. Notably, in both Coral Harbour and Sanikiluaq, only 63% of participants said they can call for help, compared to Arviat (75%), Pond Inlet (87%), and Iqaluit (99%) who are able to call for help when needed.

It is important to note that in many communities, there are options to borrow a SPOT device\* from a local organization. However, some participants may not access these devices for a range of reasons, for example: they are not aware a SPOT can be borrowed, or the organization is not open when they need to borrow a SPOT.


\*SPOT devices use satellite technology to enable location tracking, sending and receiving messages, and notifying search and rescue if there is an emergency.

### CONTINUED)

Of the 297 respondents who can call for help, most would call a family member (89%), or friend (59%), and some would call local search and rescue (SAR) (46%) for help. Respondents would also call the Hunters and Trappers Association/Organization (12%), Nunavut Emergency Management (11%), or Canadian Rangers (8%). Those who said "Other" (8%) would call base camp, co-workers or supervisor, the fire hall, nearby hunters, Royal Canadian Mounted Police, Wildlife Office, and/or pray.

Participants will call a family member or friend first when smaller incidents occur, such as if they get stuck, their machinery breaks down, or they run out of fuel. This is because they are closely connected to their family members and friends and feel more comfortable contacting them for help. Participants will call organizations such as local SAR, the Hunters and Trappers Association/Organization, and Nunavut Emergency Management if there is a bigger incident (in an emergency situation).


#### TO CALL FOR HELP RESPONDENTS USE ...




Of the respondents who can call for help, most use an inReach or SPOT (60%). They also use short-wave radios (CB, HF(SBX), VHF), cell or satellite phones. Respondents who answered "Other" use Zoleo, call nearby hunters, and/or set up check-in times with family members who call SAR if check-in is missed.

# SHARING OBSERVATIONS OF WEATHER, WATER, ICE, OR SNOW CONDITIONS WITH OTHERS IN NUNAVUT

Many (56%) participants share their observations of weather, water, ice, or snow conditions with others in their community.






\*1% prefer not to answer Most (63%) participants said there are people regularly going on community radio or CB/HF(SBX)/VHF radio, to share warnings or provide advice about weather, water, or ice conditions. A few (22%) participants did not know if people regularly go on radio to share warnings or provide advice.

# GATHERING TO TALK ABOUT TRAVEL CONDITIONS WITH OTHERS IN NUNAVUT

Are there places in your community where people tend to meet and talk about recent travel conditions?



Some participants (33%) said they did not know if there are places in their community where people tend to meet and talk about recent travel conditions, or weather, water, ice and other environmental conditions.

Of the 44% (159 participants) who said there are places where people meet, some go to those places to listen or ask for advice (46%) and some go to those places to share their observations or advice (46%).





# GATHERING TO TALK ABOUT TRAVEL CONDITIONS WITH OTHERS IN NUNAVUT

(CONTINUED)

#### PLACES PARTICIPANTS GATHER TO TALK ABOUT TRAVEL CONDITIONS

- In people's homes or cabins
- On the street and around town
- Local stores/businesses/services:
  - o Co-op, Northern
  - hotel
  - o gas station
  - o post office
  - radio station
  - restaurant/bar/coffee shop
- On route to a destination
- On the ice, beach, dock, sled dog yard, breakwater, or causeway
- On the land while hunting or camping


- Various local offices/meetings:
  - Hamlet/City Office
  - Community hall
  - Hamlet/City garage
  - Hunters and Trappers
     Organization
  - Schools
  - Regional Inuit Association
  - Wildlife Office
  - Water Board
  - Search and Rescue
  - Ilisaqsivik
  - Parks Office
  - Workplace (during coffee breaks)





### SOCIAL MEDIA NUNAVUMMIUT USE TO SHARE TRAVEL CONDITIONS

Do people in your community use social media to talk about travel conditions?



There were 170 participants who identified being aware of social media pages or groups where people share observations or advice about weather, water, and ice conditions.

It is important to note that some respondents have their own knowledge of the weather, water, ice, and snow conditions so they do not check social media for this information.

#### SOCIAL MEDIA NUNAVUMMIUT USE TO SHARE TRAVEL CONDITIONS (CONTINUED)

In each community, participants identified social media pages or groups where people share observations or advice about weather, water, and ice conditions. Each community has specific groups and discussion topics. Below we list the general topics and categories.

### Commonly used social media

#### Facebook

- Community-specific groups such as:
  - news/public service announcements
  - o sell/swap
  - Hunters/Trappers
     Associations
  - local research organizations
  - local youth/on-the-land programs
  - o photos
  - o dog teams
  - o search and rescue
- Family and friends (personal feeds and direct messages)
- Nunavut hunting stories of the day
- Inuit hunting stories of the day
   SIKU app (including for SmartICE)
   Instagram









#### **Discussion topics**

- Safe and dangerous areas based on recent travel:
  - o trail conditions and travel routes
  - o warnings about unsafe areas
  - o local hazards/obstacles
  - trip descriptions and pictures
- Hunting, trapping, and fishing:
  - o wildlife observed/harvested
  - polar bear sightings
  - hunting stories
  - o good/poor hunting spots
- Land and survival skills
  - food sharing
  - o vehicle parts
  - hunting equipment
- Weather/water/wave/snow/ ice/land conditions:
  - melting snow and ice (slush)
  - o rivers, sea depth
  - o sea ice thickness
  - o wind, temperature, blizzards
  - floe edge, leads, areas of open water
  - o moon phase
- Sharing forecasts from other sites:
  - · Environment Canada
  - NASA
  - Windy.com
  - o extreme weather warnings
  - o satellite images

#### **COMMUNITY MONITORING PROGRAMS**




When asked about local weather stations, it is notable that 145 participants (40%) said that they do not know if there are local weather stations, and 74 participants (21%) said that local weather stations do exist. Of the 74 participants who said there are local weather stations in their community, 51 (69%) said the weather station information is available in the community, and 46 of them (90%) said they use the information.



When asked about local water and ice monitoring programs it is notable that 145 participants (40%) said that they do not know if there are local water and 111 participants (31%) said that ice monitoring programs do exist. Of these 111, 84 respondents (76%) said the information is available in their community, and 65 of them (77%) said that they use the information.

### COMMUNITY MONITORING PROGRAMS (CONTINUED)



**Remote cameras** are cameras placed in areas where a photographer cannot be at the camera to take photos. Remote cameras often have a self-timer built into the camera so photos can be taken at specific times. An example is a remote camera mounted somewhere near a floe edge, with a built-in timer that is set to take a photo at noon each day.

When asked about remote cameras, it is notable that more participants said that they do not know if there are remote cameras (53%) than said that remote do (8%) or do not (39%) exist. Of the 29 participants (8%) who said there are remote cameras, 23 (79%) said the remote camera information is available in Nunavut, and 20 of them (86%) said they use the remote camera information.

Aqqiumavvik Society, Arctic Eider Society, Ittaq Heritage and Research Centre, and SmartICE are partners in this project, and through them we know that in many survey-participating communities there are local monitoring programs (described on pages 47 and 48). However, survey responses suggest that community members are not widely aware of these programs, or they did not associate them with the way the questions were asked in the survey.

### COMMUNITY MONITORING PROGRAMS LOCAL WEATHER MONITORING

Participants identified several community-based monitoring programs that are run by a various organizations. A wide range of conditions are monitored related to weather, water, ice, and sea depth.

	Arviat	Cambridge Bay	Clyde River	Coral Harbour	Gjoa Haven	lqaluit	Pond Inlet	Sanikiluaq
867-857-4166 (now called Hello Weather))	<b>V</b>							
Airport weather station/ airport radio								
Arctic Research Foundation								
Canadian High Arctic Research Station								
Community Aerodrome Radio Stations (CARS) weather		V						
University of Calgary Weather Stations								
Kangiqtugaapik (Clyde River) Weather Station Network			V					
Canadian Rangers Camp 2					V			
Carleton University Meteorology Station								
Local Co-op Channel								

#### **COMMUNITY MONITORING PROGRAMS**

### (CONTINUED) LOCAL WATER/ICE MONITORING

	Arviat	Cambridge Bay	Clyde River	Coral Harbour	Gjoa Haven	lqaluit	Pond Inlet	Sanikiluaq
Aqqiumavvik Society	V							
SmartICE					V		V	
Ujjiqsuiniq Young Hunters Program	V							
Canadian High Arctic Research Station								
SIKU						V		

#### **COMMUNITY MONITORING PROGRAMS**

(CONTINUED) **LOCAL REMOTE CAMERAS** 

	Arviat	Cambridge Bay	Clyde River	Coral Harbour	Gjoa Haven	Iqaluit	Pond Inlet	Sanikiluaq
Distant Early Warning (DEW) Line weather cameras								
Hunters and Trappers Organization								
Arctic UAV/Tibo program								
Floe Edge/Remote Camera								
SmartICE								

# PRODUCTS AND ACCESSING ENVIRONMENTAL FORECASTS - WEATHER FORECAST PRODUCTS USED

Along with community sources of information, to decide if it is safe to travel Nunavummiut use a wide range of weather forecasts from polar service providers.

	Arviat	Cambridge Bay	Clyde River	Coral Harbour	Gjoa Haven	Iqaluit	Pond Inlet	Sanikiluaq
Accuweather	V				V	V		
Airport weather station/ airport radio				V	V			
Aurora forecast						$\bigcirc$		
Canadian Aerodrome Radio Stations (CARS) weather				V				
CBC, CBC Igalaaq, CBC news	V	V					<b>V</b>	
Cellular or satellite phone services								
Environment Canada weather	V			V	V	<b>A</b>	V	V
EOSDIS Worldview (NASA)	<b>A</b>					V		
Facebook weather information page	V							
Google weather	V	V			V			
Government of Nunavut forecast							V	
Home thermometer	A							

# PRODUCTS AND ACCESSING ENVIRONMENTAL FORECASTS - WEATHER FORECASTS PRODUCTS USED (CONTINUED)

	Arviat	Cambridge Bay	Clyde River	Coral Harbour	Gjoa Haven	Iqaluit 	Pond Inlet	Sanikiluad
inReach weather	A	V				V		
Kangiqtugaapik (Clyde River) Weather Station Network			<b>V</b>					
Local CB	A							
NAV CANADA's Aviation Weather						<b>V</b>		
Navionics app						A		
Norwegian Meteorological Institute – YR		V				V		
Polar View							V	
PredictWind app and website							V	
Public recorded weather forecast, phone 867-857-4166	<b>A</b>							
Radio	V	V	V		V			
Search and Rescue					V			
SIKU app					V		V	
SmartICE					V		V	

# PRODUCTS AND ACCESSING ENVIRONMENTAL FORECASTS WEATHER FORECAST PRODUCTS USED (CONTINUED)

	Arviat	Cambridge Bay	Clyde River	Coral Harbour	Gjoa Haven	Iqaluit 	Pond S Inlet	Sanikiluaq
Spot Wx						V		
Television	V							
The Weather Network, app, and channel			A		V	V		V
Twitter						V		
Ventusky								
Weather app on phone	V					V		
Weather Underground (Wunderground)	V					V		V
Windy.com and Windy app			V		V	V		V

## PRODUCTS AND ACCESSING ENVIRONMENTAL FORECASTS MARINE FORECAST PRODUCTS USED

Along with community sources of information to decide if it is safe to travel, Nunavummiut respondents use a wide range of marine forecasts.

	Arviat	Cambridge Bay	Clyde River	Coral Harbour	Gjoa Haven	Iqaluit	Pond Inlet	Sanikiluaq
Canadian Aerodrome Radio Stations (CARS) weather				V,				
Environment Canada Marine Forecast	V		V	V	V	V	V	V
Facebook								
Fisheries and Oceans Canada							V	
Google		V						
inReach		V				V		
Kangiqtugaapik (Clyde River) Weather Station Network)			V					
Marine forecast on CB radio channel 2	V							
Marine toll free phone, phone 867-857-4166	V							
Norwegian Meteorological Institute – YR								
Phone apps		V						
PredictWind app and website							V	
Radio station			V					

### PRODUCTS AND ACCESSING ENVIRONMENTAL FORECASTS

#### MARINE FORECAST PRODUCTS USED

(CONTINUED)

Arvi	at Co	ambridge Bay	Clyde River	Coral Harbour	Gjoa Haven	lqaluit	Pond Inlet	Sanikiluaq
SIKU app					V			
Television (Global News)				V				
Tide time		V						
Ventusky (				, <b>V</b> ,				
VHF Radio		V	V	V	V	V	V	V
Weather Underground (Wunderground)								
Windy.com and Windy app							V	

# PRODUCTS AND ACCESSING ENVIRONMENTAL FORECASTS ICE CHARTS/SERVICES USED

Along with community sources of information to decide if it is safe to travel, Nunavummiut respondents use a wide range of ice charts and services.

	Arviat	Cambridge Bay	Clyde River	Coral Harbour	Gjoa Haven	Iqaluit	Pond Inlet	Sanikiluaq
Canadian Aerodrome Radio Stations (CARS) weather				V				
Canadian High Arctic Research Station		<b>V</b>						
Canadian Ice Service			V			V		
Environment Canada	<b>A</b>		V	V	V	V	<b>A</b>	V
EOSDIS Worldview (NASA)	V					V	<b>V</b>	
Global image system							V	
Google (Google Earth)				V	V			
Hunters and Trappers Organization		V						
lce Service - cameras							V	
MODIS (NASA)			V				<b>A</b>	
Polar View							V	

# PRODUCTS AND ACCESSING ENVIRONMENTAL FORECASTS - ICE CHARTS/SERVICES USED (CONTINUED)

	Arviat	Cambridge Bay	Clyde River	Coral Harbour	Gjoa Haven	lqaluit	Pond S Inlet	Sanikiluad
Printout from Hamlet Office				V				
Satellite images		V					V	
SIKU app	V				<b>V</b>		<b>V</b>	
SmartICE	V				V		V	
Social Media				V				
Windy.com and Windy app				V				
Zoom Earth							V	



# PRODUCTS AND ACCESSING ENVIRONMENTAL FORECASTS - TIDE TABLE PRODUCTS USED

Along with community sources of information to decide if it is safe to travel, Nunavummiut respondents use a wide range of tide table products.

	Arviat	Cambridge Bay	Clyde River	Coral Harbour	Gjoa Haven	Iqaluit	Pond Inlet	Sanikiluaq
Environment Canada	V,			V				
Environment Canada marine forecast	V							
Fisheries and Oceans Canada						V	V	
Google (Google Earth)		V		V			V	
Hunters and Trappers Organization					V			
inReach					V			
Local organization Facebook pages	V							
My Tide Times app						V		
Phone 867-857-4166	V						V	
Printed Tide Tables from Wildlife Office						V		
Radio broadcast				V				

# PRODUCTS AND ACCESSING ENVIRONMENTAL FORECASTS - TIDE TABLE PRODUCTS USED (CONTINUED)

	Arviat	Cambridge Bay	Clyde River	Coral Harbour	Gjoa Haven	lqaluit	Pond Inlet	Sanikiluac
SIKU app					V			
Tide-Forecast		V		V		V		
VHF Radio							V	
Weather office							V	
Windy.com and Windy app	V			V	V		V	

## PRODUCTS AND ACCESSING ENVIRONMENTAL FORECASTS - SATELLITE IMAGE PRODUCTS USED

Along with community sources of information to decide if it is safe to travel, Nunavummiut respondents use a wide range of satellite image products.

	Arviat	Cambridge Bay	Clyde River	Coral Harbour	Gjoa Haven	Iqaluit	Pond Inlet	Sanikiluaq
Environment Canada Satellite Imagery							V,	V
EOSDIS Worldview (NASA)						V	V	
Friends share satellite images on Facebook								
Geniusmap (offline GPS navigation app)					V			
Geographic Information System (GIS)					V			
Google (Google Image/Earth/Maps)		V			V		V	V
Hunters and Trappers Organization		V						
inReach Earthmate app		V						
MODIS, Sentinel, Radarsat imagery							V	
Polar View							V	
Search and Rescue					V			
SIKU, and SIKU app (maps)	V	V			V		V	V

These graphics reflect survey participants' responses about product use. Note that some of these products are used by community members who did not participate in the survey.

### PRODUCTS AND ACCESSING ENVIRONMENTAL FORECASTS -

#### SATELLITE IMAGE PRODUCTS USED

(CONTINUED)


	Arviat	Cambridge Bay	Clyde River	Coral Harbour	Gjoa Haven	lqaluit	Pond Inlet	Sanikiluad
SmartICE							V	
Vindy.com and Windy app					V			
Zoom Earth					V		V	



Photo: Natalie Carter

These graphics reflect survey participants' responses about product use. Note that some of these products are used by community members who did not participate in the survey.

## PRODUCTS AND ACCESSING ENVIRONMENTAL FORECASTS (CONTINUED)




Of the forecasting products used, respondents most often rely on weather forecasts. This is followed by marine forecasts, satellite images, tide tables, and ice services.

Of the 66% of participants who use **weather forecasts**, 27% experienced challenges when accessing them. Of the 53% of participants who use **marine forecasts**, 18% experienced challenges when accessing them. **Satellite images** were used by 48% of participants, 25% of whom experienced challenges when accessing them. **Tide tables** were used by 46% of participants and of these, 13% experienced challenges. **Ice services** were used by 45% of participants and of these, 28% experienced challenges when accessing them.

## PRODUCTS AND ACCESSING ENVIRONMENTAL FORECASTS (CONTINUED)

When accessing environmental forecasts, some participants experienced challenges (see pages 63 and 64). These varied by community, for example:


- In Arviat, Gjoa Haven, and Pond Inlet, participants most often experienced challenges when accessing **weather forecasts**.
- In Clyde River participants experienced challenges accessing **weather** and marine forecasts only.
- In Coral Harbour, participants most often experienced challenges when accessing **ice services**, and in Iqaluit participants experienced challenges most often when accessing **satellite images**.
- Many more participants in Arviat and Cambridge Bay experienced challenges when accessing tide tables, than in other communities.




As an example, the number of participants who use **marine forecasts** and who experienced challenges when accessing them, varied by community. In Iqaluit, all 66 participants use marine forecasts, 8 of whom experienced challenges compared to Pond Inlet where 30 of the 46 participants use marine forecasts, 7 of whom experienced challenges.


<sup>\*</sup>No challenges were reported in Sanikiluaq






access information in smaller communities. Listening to radio means respondents rely on other online devices. peoples' interpretations of environmental forecast products, versus getting it first-hand as with themselves and view them directly. Local radio, while less critical in Iqaluit, is an important way to community radio. Weather torecasts are accessed most often, through every means presented ways; mostly by going online using a personal mobile device, personal computer, or listening to Nunavummiut respondents access a broad range of environmental forecast products in a range of here. Respondents' use of online personal devices means they look up a range of services







access. See page 64 for additional details. Nunavummiut respondents identified a number of reasons why information is difficult to

These results do not necessarily mean that there are no challenges in other areas.

# REASONS WHY ENVIRONMENTAL FORECASTING INFORMATION IS DIFFICULT FOR NUNAVUMMIUT RESPONDENTS TO ACCESS

(CONTINUED)

Key reasons why information is difficult to access, that Nunavummiut respondents identified, include:

#### COST

- Refers to cost of devices, internet access/cellular data, and services requiring subscriptions.
- A challenge for accessing all online products, especially weather forecasts.
- A challenge in every community, except Iqaluit.

### COMPUTER OR MOBILE DEVICE

- A challenge in every community, and particularly for weather forecasts and ice services.
- Weather and ice conditions can change rapidly in Arctic Canada. Community members need up-to-date information to make travel decisions to support safe travel.




- Creates a challenge for accessing all online products, in particular, weather forecasts.
- A challenge in every community.

# INFORMATION THAT IS NOT UPDATED OFTEN ENOUGH

- Creates a challenge for accessing all online products.
- A challenge in every community, in particular, Coral Harbour.



## INTEREST IN INFORMATION ABOUT PAST AND FUTURE ENVIRONMENTAL CHANGES



% of participants who said "yes" they are interested in having information about long-term environmental changes


More participants are interested in information about past changes to weather, water, or ice conditions (related to climate change) than are interested in future changes (predictions).

Participants are slightly more interested in the shorter timescales of past changes (over the past season, past year, and past 2-10 years), than are interested in changes over longer timescales (over the past 11-50 years or more).

## INTEREST IN INFORMATION ABOUT PAST AND FUTURE ENVIRONMENTAL CHANGES

(CONTINUED)

#### INFORMATION ABOUT PAST OR FUTURE CHANGES FOR MAKING DECISIONS



Environmental conditions of greatest interest related to past or future changes include: changes in sea ice thickness, timing of sea ice break-up/freeze-up, water level, air temperature, and changes in length of open water season. Those who answered "Other" are interested in information about past and future changes to wildlife populations, as well as past changes to: seasons, tides, permafrost, plant growth, the earth's atmosphere, magnetic fields around the North Pole, erosion, and socio-economic impacts of climate change and adaptation.

#### INTEREST IN TRAINING

Of the total 360 survey participants, about 16% said they were interested in receiving training. Participants responded to an open-ended question to describe the training they were looking for. We (report writers) created these general categories, to organize points according to key areas of training interest, including: 1) improving navigations skills on the land; 2) developing safety and survival skills on the land; 3) increasing knowledge of environmental conditions; 4) connecting to local programs and services; 5) gaining familiarity with technology; and, 6) strengthening hunting and Inuit cultural skills and practices.



#### **Improving Navigation Skills** on the Land



**Developing Safety** and Survival Skills on the Land

- Develop wayfinding and navigation skills
- Learn to not rely on GPS
- Traditional navigating including by sun, stars, moon, and snow (drifts)
- Learn land names, place names
- Learn travel routes, shortcuts, river crossings
- Learn about hunting areas and animal migration routes
- Navigating in bad weather
- Identifying/mapping navigational hazards (e.g. strong currents, dangerous areas)
- Identifying/mapping trails/routes
- Reading and creating maps
- Learn to navigate from:
  - Flders
  - Fisheries and Marine Training Consortium (NFMTC)
- Develop skills to become a guide
- Travelling to unfamiliar places
- Navigating on the water




- Arctic survival skills
  - what to do if an accident happens
- First aid
  - field and wilderness training
  - learn from certified instructors
  - what to have in a first aid kit
- Boat/ice/land safety
- Dangerous areas around sea ice and or on the land
- Getting help
- Search and rescue training
  - o ice safety/rescue
  - Civil Air Search and Rescue Association (CASRA)
  - Nunavut Emergency Services
- Traditional land and survival skills (especially for first-time/young hunters)
  - On land and water
  - Outdoor skills
  - Shelter building (e.g. igluit, stone houses)
  - Uses of plants
  - How to adapt to sudden weather changes
  - How to prepare, or what to get before going out
  - Independent travel (what to do if you are alone)
  - emergency small engine repair



#### INTEREST IN TRAINING

(CONTINUED)



## Increasing Knowledge of Environmental Conditions

- How climate change affects our weather and environment
- Which environmental conditions to observe/read out on the land and how to do it
  - Ice, land, water, and sea conditions
  - rivers and mud
  - Weather conditions, monitoring, forecasting, and (new) skills
  - Learning about sea ice including observing/interpreting ice thickness and dangerous areas
  - Locations and movements of leads and polynyas
  - Effects of high/low tides
  - Areas with strong currents
  - Seasonal changes
  - Interpreting cloud patterns and wind conditions
- Environmental conditions at specific places
- Monitoring wildlife
- Understanding historical records of ice break-up/freeze-up compared to today
- Develop more respect for the environment around us
- Increase opportunities for young women to learn about environmental conditions and to navigate and be safe on the land



Connecting to Local
Programs and
Services

- Aqqiumavvik Society, Young Hunters Program
- Learn from Elders, hunters, guides, and others who are experienced on the land
- Hunting programs about the environment and which area has more animals, ice conditions etc.
- Nunavut Arctic College land programs (Environmental Technology Program)
- Canadian Rangers
- Hunters and Trappers Organizations
- Polar Knowledge Canada
- Learn about local monitoring programs and how to access their information
  - Remote weather stations
  - SmartICE
- Become a mentor for monitoring programs



#### INTEREST IN TRAINING

(CONTINUED)



#### Gaining Familiarity with Technology

- How to use and interpret satellite images
  - NASA Worldview
  - Earthdata
- How to use and interpret ice charts/data
  - Canadian Ice Service
  - SmartICE
- How to use and interpret online weather and marine forecasts
  - reading degrees Celsius
  - Environment Canada forecasts
  - Windy.com
  - GFA (Graphic Area Forecast time adjusted weather charts)
  - METAR weather report
- How to use specific websites, apps, and social media
  - Navionics
  - SIKU (website and app)
  - AIS
- General/basic computer training
  - Computers
  - Websites
  - Using Google
- Drone operation
- How to use electronic devices:
  - GPS
  - o inReach
  - SPOT
  - Humminbird (fish finder)
  - Compass
  - Reading map/GPS coordinates
  - Satellite phone
  - Tablet
- Learning proper equipment use, maintenance and repair
  - Small engine repair (skidoos and Hondas)
  - How to properly use electronic devices
- Ways to use Inuit knowledge and science/technology



## Strengthening Hunting and Inuit Cultural Practices and Skills

- Learn from Elders and experienced hunters:
  - who know the land, weather and where the good, fresh water is
  - who help people in the community
  - who learned from observing and from new technology and past records of lands conditions
- Learn through hands-on experiential training
- Learn about:
  - land skills
  - animals, where they are, their behaviour and movements
  - hunting and trapping
  - how to skin animals and prepare/dry meat
  - traditional sewing and making clothing
  - traditional first aid and medicine
  - fishing (general, and with a kakivak)
  - firearms use and safety (guns and bullets)
  - tool making
  - packing and tying ropes
  - reading weather and ice conditions (Inuit ways of predicting weather)
  - meaning of stars
  - travel routes and place names
  - Inuit Qaujimajatuqangit principles
  - İnuktu't terminology
  - building igluit and stone houses

### RESOURCES - COMMUNITY-BASED MONITORING

Based on all the responses from Nunavummiut survey participants, we created a list that describes the variety of community-based monitoring sources that are considered useful in assessing travel safety.

The information included was compiled by report writers as an overview resource. Content in this table is not from specific survey responses.

Community
Monitoring
Program/Service
Provider

#### **Website Link**

#### Environmental forecast products/services

(867) 857-4166 (now changed to Environment and Climate Change Canada - Hello Weather (automated telephone service) https://www.canada .ca/en/environmentclimatechange/services/we ather-general-toolsresources/telephoneservices/recordedobservationsforecasts.html National toll-free numbers to access Weather and Marine forecasts by telephone: English 1-833-794-3556 (1-833-79HELLO), French 1-833-586-3836 (1-833-79METEO). Previous Nunavut community call-in numbers now changed to national number + specific location code, all codes listed on website.

Canadian Aerodrome Radio Stations (CARS)

https://gov.nu.ca/air ports ATS Services is a company that provides aviation weather and communications services at Community Aerodrome Radio Stations (CARS) across the Canadian Arctic. The Government of Nunavut web link provides more information, including local phone numbers to call each airport station, that provides: aviation surface weather, meterological observing, and critical operational information to pilots.

(CONTINUED)		
Community Monitoring Program/Service Provider	Website Link	Environmental conditions monitored/products available
Airport weather station (and airport radio)	https://weather.gc.c a/forecast/canada/i ndex_e.html?id=NU	Provides weather forecast, including: daily high/low temperature, cloud conditions, pressure, dew point, humidity, precipitation, wind, visibility, air quality, weather radar (where available), jet stream, satellite, lightning, average and extreme conditions, and sunrise/sunset. And some airport weather stations are operated by NAV CANADA (see Service Provider table page 83). Some Nunavut communities have access to weather radio broadcasts of Environment and Climate Change Canada weather warnings, forecasts, and current conditions.
Aqqiumavvik Society	https://www.aqqium avvik.com/young- hunters-program	Aqqiumavvik Society is a community alliance of public, mental, and community health groups in Arviat, Nunavut. They run many wellness programs in Arviat. The Ujjiqsuiniq Young Hunters Program was designed to develop sustainable harvesting practices in youth (ages 8-18 years old). Along with gaining land skills based on inunnguiniq (Inuit principles for becoming capable), the Young Hunters contribute to many local monitoring programs and collaborative research projects, providing important information on: permafrost, safe land use, water quality, fish health, animal health and harvesting, migratory bird health and harvesting, water and ice monitoring, plant monitoring, impacts of climate change, sustainability planning, bathymetry mapping, among others. A lot of information is shared through the Aqqiumavvik Facebook page.

Community Monitoring Program/Service Provider	Website Link	Environmental conditions monitored/products available
Arctic Research Foundation	https://www.arcticfo cus.org/about/vessel s-and-labs/	The Arctic Research Foundation (ARF) is a private, non-profit organization that is developing scientific infrastructure for the Canadian Arctic, including research vessels and mobile laboratories. Different researchers have outfitted labs and vessels in different ways to monitor weather, ocean conditions, impacts of climate change, among others. We could not find specific weather, ice or ocean data online, but Polar Knowledge Canada, Canadian High Arctic Research Station may have more information, particularly for monitoring in and around Cambridge Bay.
Arctic UAV	https://www.arcticu av.ca/ice-maps/	Arctic UAV is an Apex-based company (just outside Iqaluit, Nunavut), that specializes in Unmanned Aerial Vehicle (UAV) and Unmanned Aerial Systems (UAS). Using these remote piloted systems they record imagery of the earth's surface including elevation data to create terrain models and topographic maps. They also provide ice maps that show areas of sea ice thinning, open water, and ice breakup.

Community Monitoring Program/Service Provider	Website Link	Environmental conditions monitored/products available
Cryologger	https://cryologger.or g/	Provides local weather station data for several locations around: Arctic Bay, Igloolik, Pond Inlet, and Milne Inlet. Weather conditions monitored include: temperature, humidity, wind strength and direction, wind gusts, wind chill, and trends over past 7 days. Cryologger data is also available locally on TVs in Hamlet and Hunters and Trappers Association offices, and will soon be available on SIKU (see below).
Hunters and Trappers Organization	n/a	Local Hunters and Trappers Organizations (HTOs) are important places where people gather to share and discuss weather, water, and ice conditions, including stories and advice based on recent travel. HTOs also often print and post weather/marine forecasts and satellite images for community members who do not have computers. In some communities they also have TV screens that show sea ice and weather monitoring data (e.g. from SmartICE and Cryologger).
Kangiqtugaapik (Clyde River) Weather Station Data	https://clyderiverwea ther.org	Kangiqtugaapik (Clyde River) Weather Station Data

(00111111022)		
Community Monitoring Program/Service Provider	Website Link	Environmental conditions monitored/products available
Local Co-op TV channel	https://arctic- coop.com/index.php /services/cable-tv/	Co-op Cable is available at community Co-op stores and is part of the Co-op System in the Arctic. On the local Co-op TV channel Environment and Climate Change Canada weather forecasts are often available. In some communities they also provide more local information based on weather stations or weather/ice observation monitoring programs availabe in the community.
Ocean Networks Canada	https://www.oceann etworks.ca/observato ries/	Ocean Networks Canada (ONC) is an ocean observing facility hosted and owned by the University of Victoria and managed by the notfor-profit ONC Society. ONC provides ocean data from its cabled, mobile and community-based observing networks. Different kinds of Arctic Ocean data are available for: Cambridge Bay, Coronation Gulf, Darnley Bay, Davis Strait, Dease Strait, Franklin Strait, Gascoyne Inlet, Peel Sound, Queen Maud Gulf, and Victoria Strait. The Oceans 3.0 Data Portal provides access to available data.
Oceans North Floe Edge Camera	https://www.oceans north.org/en/monitor ing-sea-ice-in- Tasiujaq/	Time lapse cameras take regular images to monitor near real-time sea ice conditions along the floe edge and around Tasiujaq, near Pond Inlet, Nunavut. However, as of the time of report publication, the FloeCam and EclipseCam were not operational.

operational.

Community **Environmental conditions** Monitoring **Website Link** monitored/products available Program/Service Provider SIKU is the Indigenous Knowledge Social Network. It is an application and website that facilitates selfdetermination in research, education, and stewardship for Indigenous communities. With a free SIKŬ account, you can access SIKU map features that include: different kinds of basemaps and satellite imagery, and maps are also available to download for use SIKU https://siku.org/ offline. There is also local weather information available, as well as posts made by community members regarding travel conditions, wildlife, bird, plant, ice, ocean, and other environmental observations, and specific kinds of data collection for different research projects. SIKU also provides access to all SmartICE data (see page 76).



Community Monitoring Program/Service Provider	Website Link	Environmental conditions monitored/products available
SmartICE	SmartICE	SmartICE is a community-based Work Integrated Social Enterprise (WISE) that has developed climate change adaptation tools and services that integrate Inuit knowledge of sea ice with monitoring technology. SmartICE monitoring contributes to more informed decisions about sea ice travel and supports community economic development. SmartICE operators across the Canadian Arctic monitor local sea ice thickness with SmartQAMUTIK and SmartBUOY technologies, and also create sea ice safety maps based on local interpretations of satellite imagery. SmartBUOYs are sensors installed as the ice freezes, used to measure ice and snow thickness, as well as the temperature of the air, snow, ice, and water. The SmartQAMUTIK is towed behind a snowmobile during travel on sea ice, and provides real-time ice and snow thickness measurements, as well as the salinity (saltiness) of the sea water. All SmartBUOY and SmartQAMUTIK data is made available on SIKU (see page 75).
University of Calgary - community weather stations	https://people.ucalg ary.ca/~belse/Brent Else/WX.html	Brent Else is a Professor at the University of Calgary who has set up several local weather stations around Cambridge Bay to monitor: air temperature, wind speed, wind direction, relative humidity, and

pressure.

Based on all the responses from Nunavummiut survey participants, we created a list that describes the variety of environmental forecast products/services that are considered useful in assessing travel safety.

Service Provider	Website Link	Environmental forecast products/services
Accuweather app and website	https://www.accuwe ather.com/	Application for mobile devices and website provides access to: weather radar (where available), temperature, air quality index, precipitation probability, max UV index, wind, wind gusts, humidity, dew point, pressure, cloud cover, visbility, cloud ceiling, lightning, and smoke.
Aurora forecast	https://auroraforeca st.com/	Provides information on geomagnetic field activity level, including predicted activity of aurora borealis (northern lights).
CBC (News, Igalaaq)	https://www.cbc.ca/ weather/s0000549.h tml	Provides Environment and Climate Change Canada weather forecasts online, on TV, and over radio, including: daily high/low temperature, UV index, wind, humidity, precipitation, pressure, visibility, sunrise/sunset, satellite, and radar (where available).

(CONTINUED)

Service Provider

Website Link

Environmental forecast products/services

Environment and Climate Change Canada - Weather Forecast

https://weather.gc.c a/forecast/canada/i ndex e.html?id=NU Provides weather forecast, including: daily high/low temperature, cloud conditions, pressure, dew point, humidity, precipitation, wind, visibility, air quality, weather radar (where available), jet stream, satellite, lightning, average and extreme conditions, and sunrise/sunset.

Environment and Climate Change Canada - Hello Weather (automated telephone service) https://www.canada .ca/en/environmentclimatechange/services/we ather-general-toolsresources/telephoneservices/recordedobservationsforecasts.html National toll-free numbers to access Weather and Marine forecasts by telephone: English 1-833-794-3556 (1-833-79HELLO), French 1-833-586-3836 (1-833-79METEO). Previous Nunavut community call-in numbers now changed to national number + specific location code, all codes listed on website.

Environment and Climate Change Canada - Live weather consultation services (PAID service for telephone consultation with Environment Canada weather professional)

https://www.canada .ca/en/environmentclimatechange/services/we ather-general-toolsresources/telephoneservices/liveconsultation.html Weather One-on-One 1-900-565-5555 Weather consultation service available 5am - 9pm weekdays, 6am - 6pm weekends and holidays (\$2.99 per minute charged to phone bill), additional consultation services listed on website.

Environment and Climate Change Canada -Marine Forecast

https://weather.gc.c a/marine/index\_e.ht ml Provides marine forecast, including:
marine warnings, watches,
advisories, tropical cyclone
statements, winds, waves, weather,
visibility, air temperature, ice
conditions, and technical marine
synopsis.

(CONTINUED)

Service Provider

Website Link

Environmental forecast products/services

Environment and Climate Change Canada - Canadian Ice Service https://www.canada .ca/en/environmentclimatechange/services/iceforecastsobservations/latestconditions.html Provides ice information, including: ice and iceberg bulletins, ice edge, ice concentration, stage of ice development, daily and regional ice charts, historical data ice coverage, historical total accumulated ice coverage, weekly ice coverage for the season, and image analysis.

Fisheries and Oceans Canada -Tide Tables https://www.tides.gc .ca/en/tidescurrents-and-waterlevels Provides tidal information, including: 7-day and hourly tides, predicted times of weak and strong currents, and water levels.

Floe Edge Monitoring Service

https://ccore.ca/floe-edgemonitoring-service/ Provides near-real time satellite imagery and information to arctic communities to support safe navigation on and off the ice.

Images are marked with up-to-date information on floe edge location, areas of landfast sea ice cover, movement of landfast ice, tidal cracks, polynyas, and tracking of moving ice floes. This service also provides access to Canadian Ice Service ice charts. Requires a free account to login to access ice products.

Genius map (offline GPS navigation app)

https://www.mireo.c om/genius-maps Application for mobile devices, provides: offline GPS navigation application, free offline maps, navigation for urban traffic and road conditions.

Service Provider	Website Link	Environmental forecast products/services
Global News weather	https://globalnews.c a/	On website you can select your city of choice (note that all Nunavut communities show under Northwest Territories), as well as basic weather on local TV news, including: daily high/low temperature, humidity, pressure, precipitation, sunrise/sunset, visibility, UV, wind, and radar (where available).
Google - Weather	www.google.com	Generic weather that shows in a basic Google search, including: temperature, precipitation, wind, and cloud conditions.
Google - Earth	https://earth.google. com/	Provides a satellite image view of anywhere on earth. You can zoom in to a location of interest to see places, and view additional layers to see animated clouds (last 24 hours), 3D coverage (where available), and updated imagery.
Google - Maps	https://www.google. com/maps/	You can select from a variety of layers to view: map, terrain, satellite image, wildlife, street view, air quality, and some basic weather conditions show when selecting places of interest.
Government of Nunavut	https://gov.nu.ca/	On the Government of Nunavut website there is an option to sign up to receive notifications about weather closures and other important information.

(CONTINUED)

Service Provider	Website Link	Environmental forecast products/services
inReach - Weather forecasts	https://www.roadpo st.ca/inreach- weather-forecasts	When you have purchased an inReach satellite communication device, you can choose to add the Basic service to an inReach device for access to weather for current location during travel, including: temperature, precipitation, wind speed and direction, and atmospheric pressure (for 2 days, in 2-6 hour intervals). There is also a paid Premium service option that can be added to an inReach device for access to more weather forecasts for current location during travel, including: temperature, precipitation, wind speed and direction, atmospheric pressure (for 7 days, in 1-2 hour intervals for first day, 3-6 hour intervals next day, 12-hour intervals for remaining 5 days).
inReach - Marine forecasts	https://www.roadpo st.ca/inreach- weather-forecasts	When you have purchased an inReach satellite communication device, you can choose to add the Basic Marine service to an inReach device for access to Basic (weather) for current location during travel as well as: wave height, current, and visibility details. There is also a paid Premium Marine service that can be added to an inReach device for access to Premium (weather) for current location during travel as well as: wave height, current, and visibility details.
inReach - Marine forecasts	https://www.roadpo st.ca/inreach- weather-forecasts	Application for mobile devices that is included with purchase of any inReach satellite communicator. It provides access to all the same features of inReach GPS navigation, and weather/marine forecasts (if purchased) to pair with mobile device and access offline.

Service Provider	Website Link	Environmental forecast products/services
inReach - Earthmate app	https://www.garmin. com/en- CA/p/577212	MODIS is the "Moderate Resolution Imaging Spectromater" and provides optical satellite images that show land/water surface, cloud conditions, and atmospheric measurements. All data available at the website listed, but it is likely easiest to browse and find images of interest through NASA EOSDIS - Worldview (see below).
MODIS (NASA)	https://modis.gsfc.n asa.gov/data/datapr od/	MODIS is the "Moderate Resolution Imaging Spectromater" and provides optical satellite images that show land/water surface, cloud conditions, and atmospheric measurements. All data available at the website listed, but it is likely easiest to browse and find images of interest through NASA EOSDIS – Worldview (see below).
My Tide Times app	https://www.jrustona pps.com/apps/my- tide-times	Application for mobile devices that provides information on: tide tables, currents (where available), sunrise/sunset, and moonrise/moonset.
NASA - EOSDIS Worldview	https://worldview.ea rthdata.nasa.gov	Provides access to: full-resolution, daily satellite imagery from a number of different satellites.
NASA - ESDS Global Imagery Browse Service	https://www.earthda ta.nasa.gov/eosdis/s cience-system- description/eosdis- components/gibs	Provides access to: full-resolution, daily satellite imagery (similar to Worldview, with additional access to product catalogues).

Service Provider	Website Link	Environmental forecast products/services
NAV CANADA's Aviation Weather	https://plan.navcana da.ca/account/login 	NAV CANADA's Collaborative Flight Planning Services (CFPS) is the new site to use since the NAV CANADA Aviation Weather website (AWWS) will no longer function as of February 28, 2024. The CFPS requires an account to log in, but it appears to provide weather information, access to airport weather cameras, sunrise/sunset, and a range of flight operations resources.
Navionics Boating app	https://www.navioni cs.com/usa/apps/na vionics-boating	Application for mobile devices that provides information on: tide tables, currents (where available), sunrise/sunset, and moonrise/moonset.
Norwegian Meteorological Institute - YR - app and website	https://www.yr.no/e n	Application for mobile devices and website provides an hourly forecast, and includes: maximum/minimum temperature, precipitation, wind speed and direction, UV forecast, Aurora forecast, sunrise/sunset, moonrise/moonset, and map visuals for weather, wind, and lightning.
Polar View	https://www.polarvie w.aq/arctic	Provides access to: satellite imagery (Sentinel-1, Radarsat-2, and combined image mosaics), sea ice concentration data, and sea ice charts.

Service Provider	Website Link	Environmental forecast products/services
Radarsat	https://www.asc- csa.gc.ca/eng/satelli tes/everyday- lives/space-serving- the-arctic-and-the- great-canadian- north.asp	RADARSAT satellites have Synthetic Aperture Radar (SAR) sensors as well as Automatic Identification Systems (AIS) used for tracking ships. SAR is not affected by darkness or clouds, because it sends out its own energy waves and then records the amount of energy reflecting back from the earth's surface. SAR sensors are especially useful in the arctic for monitoring in darkness and cloud cover.  RADARSAT and associated satellites are used for marine surveillance, ice monitoring (ice cover and movement), disaster management, ecosystem monitoring, resource mangement and mapping, and monitoring impacts of climate change (e.g. permafrost thaw).  RADARSAT imagery is available through the Government of Canada's Earth Observation Data Management System) and is also used by the Canadian Ice Service to create their ice charts and other products.
PredictWind app	https://www.predict wind.com	Application for mobile devices and website provides access to forecasts including: wind, gust, CAPE (convective available potential energy - an indicator that is valuable in predicting severe weather), wave, rain, cloud, pressure, air temperature, sea temperature, tides, currents, sun/moon. Free forecasts online require an account to log in, and paid forecast subscriptions provide more detail.

(CONTINUED)

Service Provider	Website Link	Environmental forecast products/services
Sentinel	https://sentinels.cop ernicus.eu/web/senti nel/missions	The Sentinel missions involve several satellites capturing images of the earth on behalf of the joint European Space Agency and European Commission initiative "Copernicus". Different satellites record things such as: radar imagery of land and ocean conditions; optical imagery of vegetation, soils and coastal areas; marine observations of sea surface topography, sea and land surface temperature, ocean and land colour; atmospheric, air quality, and UV radiation monitoring for forecasting; mean sea level, and ocean state monitoring. All data available at the website listed, but it is likely easiest to browse and find images of interest through NASA EOSDIS - Worldview (see page 82).
SpotWX	https://spotwx.com/	Provides access to a number of different weather forecast models, and includes information about: temperature, relative humidity, precipitation and clouds, wind and pressure, severe weather indices, CAPE (convective available potential energy - an indicator used to predict severe weather) and helicity (an indicator used to predict tornadoes), low level wind, planetary boundary layer, surface radiation flux, and haines index (an indicator used to predict wild fire behaviour).
The Weather Network, app, and channel	https://www.thewea thernetwork.com/ca	Application for mobile devices, website, and TV channel provides short- and long-term forecasts (hourly, up to two weeks), including: temperature, wind, humidity, visibility, sunrise/sunset, air quality, wind gust, pressure, ceiling, and weather radar (where available).

(CONTINUED)

,		
Service Provider	Website Link	Environmental forecast products/services
Tide-Forecast	https://www.tide- forecast.com/	Provides access to tide station data, including: high tide and low tide times, sea conditions, wave height, sea temperature, moon phase, sunrise/sunset, weather forecast/summary, wind, temperature, precipitation, visibility, gusts, and cloud.
Ventusky app and website	https://www.ventusk <u>y.com/</u>	Application and website provides access to: temperature, perceived temperature, precipitation, radar, satellite, clouds, wind speed, wind gusts, air pressure, thunderstorms, humidity, waves, snow cover, air quality, webcams (where available), and wind animation.
Weather Underground (Wunderground) app and website	https://www.wunder ground.com/	Application for mobile devices and website provides hourly and 10-day forecast, including: temperature, cloud conditions, precipitation (% chance), pollen, UV index, air quality, pressure, visibility, dew point, snow depth, rainfall, humidity, and station history.
Windy app and website	https://www.windy.c om/	Application for mobile devices and website provides map views and animations of: weather radar and satellite data, wind speed and direction, rain, snow, thunder, temperature, dew point, humidity, UV index, clouds, fog, visibility, waves, sea temperature, currents, extreme forecast, and weather warnings, among other layers that can be selected.
		Provides map view including:

Zoom Earth https://

https://zoom.earth/ maps/satellite/ Provides map view including: weather radar (where available), satellite imagery, precipitation, wind, temperature, humidity, pressure, wind animation, fires, and tropical systems.

\_o\_≫<sup>c</sup> Nunavut



 $^{\circ}$   $^{\circ}$ 

Results of a community survey on environmental forecasting uses and needs

**ೆ**ನ< ೧ 2023 DECEMBER 2023